

## INDEX

NOTE.—All items in this index refer first to the section and then to the page of the section. Thus, "Alpaca 27 30" means that alpaca will be found on page 30 of section 27.

A	<i>Sec.</i>	<i>Page</i>		<i>Sec.</i>	<i>Page</i>
Accelerated speed . . . . .	37	33	Balling machine and creel, Tor-		
" . . . . .	37	66	rance . . . . .	35	10
Adjusting grinding device . . . . .	36	29	Band, Rim . . . . .	37	30
Alpaca . . . . .	27	30	Bands, Spindle . . . . .	37	84
Aluminum-chloride process . . . . .	31	7	" Squaring . . . . .	37	30
American and British wire gauges . . . . .	36	2	Bates feed . . . . .	35	24
" " European carding			Baumé and Twaddle hydrometers . . . . .	28	39
systems . . . . .	35	33	Beamer . . . . .	50	26
" mills, Wool consump-			" Single . . . . .	50	29
tion of . . . . .	27	20	Beaming . . . . .	50	26
" sheep . . . . .	27	19	Belt shipper . . . . .	49	11
Ammonia . . . . .	28	15	Block cylinders, Wooden . . . . .	34	14
Analysis of yolk ash . . . . .	28	12	Board, Push . . . . .	35	8
Angora . . . . .	27	30	Bobbin clips . . . . .	37	83
Animal and vegetable fibers . . . . .	27	1	" stand . . . . .	49	4
Anthrax . . . . .	27	30	Bollette condenser . . . . .	34	38
Apparatus, Compressed-air car-			Braid wool . . . . .	27	30
bonizing . . . . .	31	8	Bramwell automatic picker feed . . . . .	32	26
Apperly feed . . . . .	35	19	" automatic picker feed,		
Application of the size . . . . .	50	2	Operation of the . . . . .	32	31
Apron condenser . . . . .	34	33	" automatic weigher and		
" Stripping . . . . .	35	8	feeder . . . . .	35	1
Arrangement and floor space of			Breaker card, First . . . . .	34	9
cards . . . . .	34	30	" " Intermediate . . . . .	34	23
Ash, Analysis of . . . . .	28	12	" " Second . . . . .	34	23
Atlas mixing picker . . . . .	32	20	" cards, Metallic burring		
Attachments to scouring ma-			machines for first . . . . .	35	27
chines, Self-feed . . . . .	28	31	" First . . . . .	36	49
Automatic feed . . . . .	35	1	" scribbler . . . . .	35	32
" oilers . . . . .	33	9	" Second . . . . .	36	50
" picker feed, Bramwell . . . . .	32	26	" Setting the . . . . .	36	14
" picker feed, Operation			Breast, Metallic . . . . .	35	29
of the Bramwell . . . . .	32	31	Britch . . . . .	27	30
" weigher and feeder,			British and American wire gauges . . . . .	36	2
Bramwell . . . . .	35	1	Brokes . . . . .	27	27
Average settings . . . . .	36	14	" . . . . .	27	30
			Buck fleece . . . . .	27	30
<b>B</b>			Builder gears . . . . .	37	56
Backing-off . . . . .	37	70	" motion . . . . .	37	50
" motion . . . . .	37	37	" rail . . . . .	37	50
" " . . . . .	37	69	Burls . . . . .	30	2

	<i>Sec.</i>	<i>Page</i>		<i>Sec.</i>	<i>Page</i>
Burr cylinder . . . . .	34	13	Carding, Woolen . . . . .	34	1
“ “ picker, Single . . . . .	30	17	“ “ . . . . .	35	1
“ cylinders . . . . .	30	12	“ “ . . . . .	36	1
“ guard . . . . .	34	13	“ Worsted . . . . .	35	34
“ picker, Curtis . . . . .	30	18	Cards, Capacity of . . . . .	34	30
“ “ Driving the Park- hurst . . . . .	30	9	“ Care of . . . . .	36	11
“ “ Goddard . . . . .	30	18	“ Clothing . . . . .	36	39
“ “ Marble . . . . .	30	18	“ Floor space and arrange- ment of . . . . .	34	30
“ “ Operation of God- dard . . . . .	30	22	“ Furbush . . . . .	34	42
“ “ Parkhurst . . . . .	30	3	“ Operation of woolen . . . . .	35	26
“ “ Sargent . . . . .	30	14	“ Setting of . . . . .	34	11
“ “ low-feed . . . . .	30	16	“ “ . . . . .	36	11
“ pickers, Management of . . . . .	30	23	“ Smith . . . . .	34	42
“ “ Setting . . . . .	30	24	“ Stripping . . . . .	36	20
“ “ Speed of . . . . .	30	14	“ Weight of . . . . .	34	30
“ “ Types of . . . . .	30	3	“ Width of . . . . .	34	29
“ picking . . . . .	30	1	Care of cards . . . . .	36	11
“ point . . . . .	36	24	Carrier . . . . .	28	27
Burring . . . . .	30	1	Cast . . . . .	27	30
“ machine, Parkhurst double . . . . .	35	28	Catch, Unlocking of detent . . . . .	37	70
“ “ Smith double . . . . .	35	29	Centigrade thermometer . . . . .	28	36
“ machines for first breaker cards, Metallic . . . . .	35	27	Changing of fallers . . . . .	37	70
Burrs, Mestizo . . . . .	30	2	“ size of roving . . . . .	36	57
			Chase . . . . .	37	54
			Check-band . . . . .	37	41
			Chisel point . . . . .	36	23
			Classification of wool . . . . .	27	30
			“ “ sheep . . . . .	27	17
			“ “ textile fibers . . . . .	27	1
			Clips, Bobbin . . . . .	37	83
			Clock . . . . .	37	85
			Clothing, Calculations relating to . . . . .	36	7
			“ Card . . . . .	34	13
			“ “ . . . . .	36	1
			“ cards . . . . .	36	39
			“ Covering with sheet . . . . .	36	39
			“ Fillet . . . . .	34	14
			“ for the fancy . . . . .	36	5
			“ “ workers and strip- pers . . . . .	36	4
			“ Sheet . . . . .	34	13
			“ “ and fillet . . . . .	36	5
			“ wool . . . . .	27	30
			“ wools . . . . .	27	13
			Clutch, Disengagement of drawing- out . . . . .	37	64
			“ Engagement of the winding . . . . .	37	75
			Cold-air wool drying process . . . . .	29	2
			Color of wool . . . . .	27	12
			Comb, Oscillating . . . . .	35	9
			“ regulating device . . . . .	32	29
			“ regulator . . . . .	35	9
			Combination condenser . . . . .	34	38
			“ dresser . . . . .	50	2
			“ “ . . . . .	50	6

	<i>Sec.</i>	<i>Page</i>		<i>Sec.</i>	<i>Page</i>
Drawing-out motion . . . . .	37	14	Effect of improper scouring . . . . .	28	20
“ “ “ . . . . .	37	22	“ “ soda on wool . . . . .	28	21
“ “ “ Disconnection of . . . . .	37	64	Elasticity . . . . .	27	31
“ “ “ Engagement of . . . . .	37	80	“ and strength of wool . . . . .	27	9
“ Side . . . . .	34	21	Electricity in the card room . . . . .	36	54
Dresser, Combination . . . . .	50	2	Elliptical wire . . . . .	36	2
“ “ . . . . .	50	6	Engagement of backing-off motion . . . . .	37	69
“ Four-cylinder . . . . .	50	10	“ “ drawing-out motion . . . . .	37	80
“ Two-cylinder . . . . .	50	8	“ “ the winding clutch . . . . .	37	75
Dressers . . . . .	50	2	European and American carding systems . . . . .	35	33
Dressing . . . . .	50	1	“ carding methods . . . . .	35	32
“ frame . . . . .	50	13	Evener motion . . . . .	35	8
Driving . . . . .	50	8	Extract . . . . .	27	16
“ an Apperly feed . . . . .	35	21	“ . . . . .	27	31
“ Atlas mixing picker . . . . .	32	21	“ . . . . .	32	8
“ carding machines . . . . .	34	17	Extracting process . . . . .	31	1
“ of spindles . . . . .	37	30	Extraction . . . . .	27	16
“ the mule . . . . .	37	9	“ . . . . .	27	31
“ “ Parkhurst burr picker . . . . .	30	9			
“ weighing and dumping machines . . . . .	35	10	<b>F</b>		
Dropping of the twist slide . . . . .	37	66	Fahrenheit thermometer . . . . .	28	36
Dryer, Multiple-apron wool . . . . .	29	5	Fallers, Changing of . . . . .	37	70
“ Operation of sectional wool . . . . .	29	11	Fan, The . . . . .	28	3
“ Table or platform wool . . . . .	29	3	Fancy . . . . .	34	16
Dryers, Capacities of sectional . . . . .	29	12	“ Clothing for the . . . . .	36	5
“ Sectional wool . . . . .	29	8	“ filleting . . . . .	36	10
Drying process, Cold-air wool . . . . .	29	2	“ Licker-in . . . . .	34	23
“ “ Hot-air wool . . . . .	29	5	“ pattern . . . . .	50	39
“ Wool . . . . .	29	1	“ Setting the . . . . .	36	18
“ yarn . . . . .	50	4	“ warps . . . . .	50	37
Ducker . . . . .	28	27	Fat, Wool . . . . .	28	11
Dumping and weighing machines, Driving . . . . .	35	10	Fearnaught . . . . .	32	23
“ and weighing mechanism . . . . .	35	3	Feed, Apperly . . . . .	35	19
Duster . . . . .	28	1	“ Automatic . . . . .	35	1
“ Carbonizing . . . . .	31	12	“ Bates . . . . .	35	24
“ Cone . . . . .	28	2	“ Bramwell automatic picker . . . . .	32	26
“ Feed . . . . .	28	4	“ “ “ . . . . .	32	31
“ Open or cage . . . . .	28	8	“ Device for stopping . . . . .	30	11
“ Square . . . . .	28	5	“ Driving an Apperly . . . . .	35	21
Dusters, Management of . . . . .	28	8	“ duster . . . . .	28	4
“ Types of . . . . .	28	2	“ Lap . . . . .	35	25
Dusting wool . . . . .	28	1	“ rolls . . . . .	34	13
Dwell motion . . . . .	37	27	“ Sargent's low . . . . .	31	15
			“ Scotch . . . . .	35	24
<b>E</b>			Feeder and weigher, Bramwell automatic . . . . .	35	1
Earth, Fuller's . . . . .	31	7	Feeds, Card . . . . .	35	1
Earthy material . . . . .	28	13	Felting . . . . .	27	5
“ matter . . . . .	28	13	“ . . . . .	27	31
Easing-up motion . . . . .	37	36	Fiber, Wool . . . . .	27	4
“ “ . . . . .	37	64	Fibers, Animal and vegetable . . . . .	27	1
“ “ “ Disconnection of . . . . .	37	75	“ Mineral . . . . .	27	2
			“ Recovered . . . . .	27	15
			Fillet and sheet clothing . . . . .	36	5

INDEX

xi

	<i>Sec.</i>	<i>Page</i>		<i>Sec.</i>	<i>Page</i>
Fillet clothing . . . . .	34	14	Grinders, Speed of . . . . .	36	28
" Covering with . . . . .	36	41	Grinding . . . . .	36	23
" winding frame . . . . .	36	41	" device, Adjusting . . . . .	36	29
Filleting, Fancy . . . . .	36	10	" frame, Roller . . . . .	36	35
" Table of . . . . .	36	10	" frames, Traverse . . . . .	36	32
Finding required size of roving . . . . .	36	57	" metallic rolls . . . . .	36	34
" the cost of mixes . . . . .	32	13	" Operation of . . . . .	36	29
Fine combing wools . . . . .	27	13	Growth of wool fiber . . . . .	27	4
Fineness and softness of wool . . . . .	27	8	Guard, Burr . . . . .	34	13
Finisher card . . . . .	34	25			
" " Setting the . . . . .	36	15	<b>H</b>		
Finishers . . . . .	36	50	Hack reed . . . . .	50	35
First breaker . . . . .	36	49	Hair . . . . .	27	3
" card . . . . .	34	9	Hand, Oiling by . . . . .	33	7
" " Setting the . . . . .	36	14	Hard soaps . . . . .	28	14
Five-bank creel . . . . .	35	18	" water . . . . .	28	18
Fleece, Buck . . . . .	27	30	" " Softening . . . . .	28	20
" clips . . . . .	27	9	Harness . . . . .	50	42
" Hog, hogget, or teg . . . . .	27	31	Headstock . . . . .	37	11
Fleeces, Weight of . . . . .	27	20	Hogget, hog, or teg fleece . . . . .	27	31
" Wether . . . . .	27	33	" Shurled . . . . .	27	33
Flexifort . . . . .	36	1	Hook point . . . . .	36	24
Flocks . . . . .	27	31	Horsepower of mules . . . . .	37	87
" . . . . .	32	8	Hot-air wool drying process . . . . .	29	5
Floor space and arrangement of			Houses, Conditioning . . . . .	27	14
cards . . . . .	34	30	Hydraulic washer . . . . .	28	30
flyings . . . . .	34	1	Hydrochloric-acid process . . . . .	31	6
Formation of warps . . . . .	50	33	Hydro-extractors . . . . .	29	14
Four-cylinder dresser . . . . .	50	10	Hydrometers . . . . .	28	38
Frame, Drawing-in . . . . .	50	43	" Baumé and Twaddle . . . . .	28	39
" Dressing . . . . .	50	13	Hygroscopicity of wool . . . . .	27	14
" Fillet winding . . . . .	36	41			
" Roller grinding . . . . .	36	35	<b>I</b>		
" Twisting-in . . . . .	50	49	Imbrications . . . . .	27	5
" Winding . . . . .	34	39	" . . . . .	27	31
Frames, Traverse grinding . . . . .	36	32	Immerser . . . . .	28	27
Fuller's earth . . . . .	31	7	Imported wools . . . . .	27	22
Fulling . . . . .	27	31	Improper scouring, Effect of . . . . .	28	20
Furbush cards . . . . .	34	42	Improved creel . . . . .	50	16
			Impurities in wool . . . . .	28	11
<b>G</b>			Interchanging thermometer read-		
Gallipoli . . . . .	33	2	ings . . . . .	28	37
Gauge of a mule . . . . .	37	87	Intermediate breaker card . . . . .	34	23
Gauges . . . . .	36	11	Iron main cylinders . . . . .	34	15
Gauze room . . . . .	30	25			
Gears, Builder . . . . .	37	56	<b>K</b>		
Glossary of trade terms used in			Kemp . . . . .	27	31
connection with wools . . . . .	27	30	Kemps . . . . .	27	11
Goddard burr picker . . . . .	30	18	Knee of the tooth . . . . .	36	1
" " Operation of . . . . .	30	22			
" oiler . . . . .	33	15	<b>L</b>		
Governor, Quadrant . . . . .	37	48	Lag cylinders, Wooden . . . . .	34	14
Grab lever . . . . .	37	46	Lamb's wool . . . . .	27	8
Gravity, Specific . . . . .	28	37	" " . . . . .	27	31
Grease wool . . . . .	27	31	Lant . . . . .	28	15
Grinder, Traverse . . . . .	36	26	Lap feed . . . . .	35	25
			Lard oil . . . . .	33	3

	<i>Sec. Page</i>		<i>Sec. Page</i>
Latch rod and draft slide, Re-		Methods, European carding . . .	35 32
placing of . . . . .	37 78	" of carding . . . . .	34 5
Laying out mixes, Method of . . .	32 3	" " drying wool . . . . .	29 2
Lease, A . . . . .	50 25	" " oiling . . . . .	33 7
Leasing . . . . .	50 25	Metric thermometer . . . . .	28 36
Length of staple . . . . .	27 13	Mills, Wool consumption of Ameri-	
Lever, Grab . . . . .	37 46	can . . . . .	27 20
" Shipper . . . . .	37 60	Mineral fibers . . . . .	27 2
Licker-in . . . . .	34 23	" oils . . . . .	33 5
" " fancy . . . . .	34 23	Mixes, Finding the cost of . . . .	32 13
Link measuring motion . . . . .	50 15	" Method of laying out . . . .	32 3
Liquor, Scouring . . . . .	28 17	Mixing picker, Atlas . . . . .	32 20
Locking of twist slide . . . . .	37 77	" " Davis & Furber . . . .	32 16
Long-wool sheep . . . . .	27 19	" pickers . . . . .	32 16
Low-feed burr picker, Sargent . . .	30 16	" Wool . . . . .	32 1
" " Sargent's . . . . .	31 15	" " and cotton . . . . .	32 8
Lubricants . . . . .	33 2	" " " noils . . . . .	32 8
Lubrication of wool . . . . .	33 1	" " " shoddy . . . . .	32 6
Luster . . . . .	27 31	" " " silk . . . . .	32 11
" of wool . . . . .	27 12	Mohair . . . . .	27 3
		" . . . . .	27 22
		" . . . . .	27 32
<b>M</b>		" . . . . .	30 2
Machine, Double burring . . . . .	35 28	Motes . . . . .	37 37
" Parallel rake . . . . .	28 23	Motion, Backing-off . . . . .	37 37
Machines, Driving carding . . . .	34 17	" Builder . . . . .	37 50
" Self-feed attachments . . . .	28 31	" Dabbing . . . . .	35 8
to scouring . . . . .	31 11	" Disconnection of drawing-	
used in carbonizing . . . . .	31 10	out . . . . .	37 64
Magnesium-chloride process . . . .	34 14	" " " easing-	
Main cylinder . . . . .	30 23	up . . . . .	37 75
Management of burr pickers . . . .	28 8	" Disengagement of draw-	
" " dusters . . . . .	32 23	ing-in . . . . .	37 79
" " pickers, Points in . . . . .	36 51	" Double roving . . . . .	37 14
" " Points in . . . . .	30 18	" Drawing-in . . . . .	37 40
Marble burr picker . . . . .	50 47	" " out . . . . .	37 14
Marks, Reed . . . . .	28 13	" " " . . . . .	37 22
Material, Earthy . . . . .	28 16	" Dwell . . . . .	37 27
Materials, Impure scouring . . . .	28 13	" Easing-up . . . . .	37 36
" Scouring . . . . .	28 13	" " " . . . . .	37 64
Matter, Earthy . . . . .	50 20	" Engagement of backing-	
Measuring device . . . . .	49 7	off . . . . .	37 69
" motion . . . . .	49 24	" Engagement of drawing-	
" " . . . . .	50 8	out . . . . .	37 80
" " Link . . . . .	50 15	" Evener . . . . .	35 8
Mechanical wool-cleaning process	31 1	" Link measuring . . . . .	50 15
Mechanism, Detent . . . . .	37 62	" Measuring . . . . .	49 7
" Weighing and dump-		" " . . . . .	49 24
ing . . . . .	35 3	" " . . . . .	50 8
Merino, Spanish . . . . .	27 18	" Roving . . . . .	37 14
Mestizo burrs . . . . .	30 2	" Shaking . . . . .	50 7
Metallic breast . . . . .	35 29	" Slow . . . . .	49 22
" burring machines . . . . .	35 27	" Traverse . . . . .	49 9
" rolls, Grinding . . . . .	36 34	" " . . . . .	49 20
Method of sorting wool . . . . .	27 25	Mule, Driving the . . . . .	37 9
" " stripping . . . . .	36 21	" Elementary parts of the . . .	37 4
		" Gauge of a . . . . .	37 87

INDEX

xiii

	<i>Sec.</i>	<i>Page</i>		<i>Sec.</i>	<i>Page</i>
Mule, Operation of the . . . . .	37	11	Operation of the duster . . . . .	28	5
" Self-acting . . . . .	37	4	" " " mule . . . . .	37	60
" Speed of a . . . . .	37	87	" " " . . . . .	37	11
" Starting of . . . . .	37	60	" " " Parkhurst burr		
" The . . . . .	37	4	picker . . . . .	30	11
" " . . . . .	37	60	" " " spooler . . . . .	49	4
Mules, Horsepower of . . . . .	37	87	" " " woolen cards . . . . .	35	26
" Size of woolen . . . . .	37	87	Oscillating comb . . . . .	35	9
Multiple-apron wool dryer . . . . .	29	5			
Multiplex burr picker, Sargent . . . . .	30	14	<b>P</b>		
Mungo . . . . .	27	16	Parallel rake machine . . . . .	28	23
" . . . . .	27	32	Parkhurst burr picker . . . . .	30	3
" . . . . .	32	8	" " " . . . . .	30	9
<b>N</b>			" double burring machine . . . . .	35	28
Needle point . . . . .	36	24	Pattern, Fancy . . . . .	50	39
Nogg . . . . .	36	7	" Warp . . . . .	50	37
Noils . . . . .	27	32	Permanent hardness of water . . . . .	28	19
" Mixing wool and . . . . .	32	8	Picker, Atlas mixing . . . . .	32	20
<b>O</b>			" Curtis burr . . . . .	30	18
Object of scouring . . . . .	28	10	" Davis & Furber mixing . . . . .	32	16
" " square duster . . . . .	28	5	" Driving the Parkhurst burr . . . . .	30	9
Objects of woolen carding . . . . .	34	2	" feed, Bramwell automatic . . . . .	32	26
Oil, Lard . . . . .	33	3	" " " . . . . .	32	31
" Olive . . . . .	33	2	" Goddard burr . . . . .	30	18
" Red . . . . .	33	5	" Marble burr . . . . .	30	18
" Tests for . . . . .	33	6	" Operation of Goddard burr . . . . .	30	22
" Virgin . . . . .	33	2	" " " Parkhurst burr . . . . .	30	11
Oiler, Goddard . . . . .	33	15	" " " the Atlas mix-		
" Sargent . . . . .	33	13	ing . . . . .	32	22
" Spencer . . . . .	33	9	" Parkhurst burr . . . . .	30	3
Oilers . . . . .	30	20	" Sargent burr . . . . .	30	14
" Automatic . . . . .	33	9	" Single burr-cylinder . . . . .	30	17
Oiling, Methods of . . . . .	33	7	Pickers, Management of burr . . . . .	30	23
" Wool . . . . .	33	1	" Mixing . . . . .	32	16
Oils, Mineral . . . . .	33	5	" Setting burr . . . . .	30	24
Oleine . . . . .	33	4	" Speed of burr . . . . .	30	14
Olive oil . . . . .	33	2	" Types of burr . . . . .	30	3
Open or cage duster . . . . .	28	8	Picking a fancy pattern . . . . .	50	39
Operation of a Fearnought . . . . .	32	25	" Burr . . . . .	30	1
" " carbonizing duster . . . . .	31	14	Picklock . . . . .	27	28
" " Goddard burr picker . . . . .	30	22	Pin reels . . . . .	50	19
" " multiple-apron wool			Pinless reel . . . . .	50	22
dryer . . . . .	29	7	Pitchy wool . . . . .	28	11
" " Sargent's low feed . . . . .	31	16	Plain warps . . . . .	50	33
" " sectional wool dryer . . . . .	29	11	Platform or table wool dryer . . . . .	29	3
" " spinning . . . . .	37	3	Point, Burr . . . . .	36	24
" " square duster . . . . .	28	7	" Chisel . . . . .	36	23
" " the Apperly feed . . . . .	35	19	" Hook . . . . .	36	24
" " " Atlas mixing			" Needle . . . . .	36	24
picker . . . . .	32	22	Potash soaps . . . . .	28	15
" " " Bramwell auto-			Prime . . . . .	27	28
matic picker			Principles of carding . . . . .	34	7
feed . . . . .	32	31	Process, Aluminum-chloride . . . . .	31	7
" " " Davis & Furber			" Hydrochloric-acid . . . . .	31	6
mixing picker . . . . .	32	19	" Magnesium-chloride . . . . .	31	10
			" Sulphuric-acid . . . . .	31	2

	<i>Sec.</i>	<i>Page</i>		<i>Sec.</i>	<i>Page</i>
Processes, Carbonizing . . . . .	31	2	Rolls, Tension . . . . .	49	7
"    employed in warp preparation . . . . .	49	3	Room, Electricity in the card . . . . .	36	54
Properties of wool . . . . .	27	5	"    Gauze . . . . .	30	25
Pulled wools . . . . .	27	7	Roping . . . . .	34	3
"    or skin wool . . . . .	27	32	Round wire . . . . .	36	2
Push board . . . . .	35	8	Rovelling . . . . .	34	5
			Roving . . . . .	34	3
			"    Size of . . . . .	36	57
<b>Q</b>			"    into yarn, Converting . . . . .	37	6
Quadrant . . . . .	37	43	"    motion . . . . .	37	14
"    after cone is built, Action of . . . . .	37	48	"    Quality of . . . . .	37	2
"    governor . . . . .	37	48	"    Sizing . . . . .	36	58
"    regulator . . . . .	37	45	"    stop-motion . . . . .	37	19
"    "    . . . . .	37	48	"    "    "    . . . . .	37	68
Qualities of wool . . . . .	27	26	"    Weight of . . . . .	36	56
Quality of roving . . . . .	37	2	Rub rolls . . . . .	34	32
"    "    wool . . . . .	27	32	Rule to find length of fileting re- quired . . . . .	36	45
			"    "    find size of roving . . . . .	36	57
<b>R</b>			"    "    find specific gravity . . . . .	28	37
Rail, Builder . . . . .	37	50	"    "    find speed of spindles . . . . .	37	33
Rake machine, Parallel . . . . .	28	23	"    "    find the number of points in card cloth . . . . .	36	7
"    wool washer . . . . .	28	23	"    "    find the number of spools of each color required . . . . .	50	38
Rakes . . . . .	28	25	"    "    find the number of yards to be spooled . . . . .	50	38
Réaumur thermometer . . . . .	28	36	"    "    find the revolutions per minute when belt is on fourth pulley . . . . .	37	34
Recovered fibers . . . . .	27	15	"    "    find the surface velocity of a rotating cylinder . . . . .	34	31
Red oil . . . . .	33	5	Rules for interchanging thermom- eter readings . . . . .	28	37
Reed, Condensing . . . . .	50	35	"    "    wool scouring . . . . .	28	21
"    Hack . . . . .	50	35	"    "    to find carding surface on a cylinder . . . . .	36	48
"    marks . . . . .	50	47	"    "    find cost of mixes . . . . .	32	13
"    Tying-in . . . . .	50	2			
Reeding . . . . .	50	46	<b>S</b>		
"    and drawing-in . . . . .	50	42	Sargent burr picker . . . . .	30	14
"    the sections . . . . .	50	35	"    low-feed burr picker . . . . .	30	16
"    "    "    . . . . .	50	41	"    oiler . . . . .	33	13
Reels . . . . .	50	19	Sargent's low feed . . . . .	31	15
"    . . . . .	50	22	Scotch feed . . . . .	35	24
Reengagement . . . . .	37	79	Scoured wool . . . . .	27	33
Regulating device, Comb . . . . .	35	29	Scouring . . . . .	27	33
Regulator, Comb . . . . .	35	9	"    . . . . .	28	10
"    Quadrant . . . . .	37	45	"    Effect of improper . . . . .	28	20
"    "    . . . . .	37	48	"    liquor . . . . .	28	17
Replacing of latch rod and draft slide . . . . .	37	78	"    machines, Self-feed at- tachments to . . . . .	28	31
Ribbons . . . . .	34	3	"    materials . . . . .	28	13
Ribs . . . . .	50	46	"    "    Impure . . . . .	28	16
Rim band . . . . .	37	30	"    Object of . . . . .	28	10
Ring doffers . . . . .	34	26	"    process, Solvent wool . . . . .	28	34
"    "    Covering . . . . .	36	46			
Rings, Waste-end . . . . .	34	27			
Roll condenser . . . . .	34	32			
"    Tension . . . . .	49	21			
Roller grinding frame . . . . .	36	35			
Rolls, Grinding metallic . . . . .	36	34			
"    Rub . . . . .	34	32			
"    Squeeze . . . . .	28	28			

INDEX

xv

	<i>Sec.</i>	<i>Page</i>		<i>Sec.</i>	<i>Page</i>
Scouring process, Wool . . . . .	28	22	Size, Application of the . . . . .	50	2
" Rules for wool . . . . .	28	21	" of roving . . . . .	36	57
" Wool . . . . .	28	1	" " woolen mules . . . . .	37	87
" " . . . . .	28	10	Sizing roving . . . . .	36	58
Scribbler, Breaker . . . . .	35	32	Skin or pulled wool . . . . .	27	32
Second breaker . . . . .	36	50	Skirting . . . . .	27	33
" " card . . . . .	34	23	Slide, Dropping of the twist . . . . .	37	66
" " Setting the . . . . .	36	15	" Locking of twist . . . . .	37	77
Sectional dryers, Capacities of . . . . .	29	12	" Twist . . . . .	37	66
" reel, Patent . . . . .	50	22	Slow motion . . . . .	49	22
" warp reel . . . . .	50	19	Smith cards . . . . .	34	42
" wool dryer . . . . .	29	11	" double burring machine . . . . .	35	29
" " dryers . . . . .	29	8	Soaps . . . . .	28	14
Sections, Reeding the . . . . .	50	35	Soda ash . . . . .	28	13
" " " . . . . .	50	41	" Carbonate of . . . . .	28	14
Self-acting mule . . . . .	37	4	" on wool, Effect of . . . . .	28	21
" balancing extractor . . . . .	29	14	" soaps . . . . .	28	14
" feed . . . . .	35	1	Soft soaps . . . . .	28	15
" " attachments to scouring machines . . . . .	28	31	Softening hard water . . . . .	28	20
Selvages . . . . .	50	36	Softness and fineness of wool . . . . .	27	8
Serrations . . . . .	27	5	Solvent wool scouring process . . . . .	28	34
" " . . . . .	27	33	Sorter, Wool . . . . .	27	23
Serratures . . . . .	27	33	Sorting wool . . . . .	27	23
Setting burr pickers . . . . .	30	24	" Method of . . . . .	27	25
" cards . . . . .	36	11	Soundness of wool . . . . .	27	11
" of cards . . . . .	34	11	Spanish merino . . . . .	27	18
" the condenser . . . . .	36	15	Specific gravity . . . . .	28	37
" doffer . . . . .	36	17	Specks . . . . .	30	2
" " fancy . . . . .	36	18	Speed, Accelerated . . . . .	37	33
" " finisher card . . . . .	36	15	" " . . . . .	37	66
" " first breaker . . . . .	36	14	" of a mule . . . . .	37	87
" " second breaker . . . . .	36	15	" " " spooler . . . . .	49	11
" workers and strippers . . . . .	36	17	" " burr pickers . . . . .	30	14
Settings, Average . . . . .	36	14	" " cards . . . . .	34	31
Shaker . . . . .	50	7	" " grinders . . . . .	36	28
Shaking motion . . . . .	50	7	Spencer oiler . . . . .	33	9
Shearlings . . . . .	27	33	Spindle bands . . . . .	37	84
Sheep . . . . .	27	17	Spindles, Driving of . . . . .	37	30
Sheet and fillet clothing . . . . .	36	5	Spinning, Operation of . . . . .	37	3
" clothing . . . . .	34	13	" Woolen . . . . .	37	1
" " Covering with . . . . .	36	39	Split . . . . .	50	46
Sheets, Table of . . . . .	36	9	Spool creels . . . . .	50	15
Shipper, Belt . . . . .	49	11	" holding device . . . . .	49	10
" lever . . . . .	37	60	" stand . . . . .	34	40
Shives . . . . .	30	1	Spooler, Compressing . . . . .	49	16
Shoddy . . . . .	27	15	" Speed of . . . . .	49	11
" . . . . .	27	33	" The . . . . .	49	4
" and wool, Mixing . . . . .	32	6	Spooling . . . . .	49	4
Short-wool sheep . . . . .	27	19	" the yarn . . . . .	50	33
Shurled hogget . . . . .	27	33	" " " . . . . .	50	37
Side drawing . . . . .	34	21	Square duster . . . . .	28	5
Silk and wool, Mixing . . . . .	32	11	Squaring bands . . . . .	37	30
Single beamer . . . . .	50	29	Squeeze rolls . . . . .	28	28
" burr-cylinder picker . . . . .	30	17	Stand, Bobbin . . . . .	49	4
Size . . . . .	50	11	" Spool . . . . .	34	40
			Staple . . . . .	27	33



	<i>Sec.</i>	<i>Page</i>		<i>Sec.</i>	<i>Page</i>
Staple, Length of . . . . .	27	13	Toppings . . . . .	27	33
“ Tender . . . . .	27	11	Torrance balling machine and creel . . . . .	35	10
Staples . . . . .	27	2	Traverse grinder . . . . .	36	26
Starting of mule . . . . .	37	60	“ grinding frames . . . . .	36	32
Stock, Condition of . . . . .	34	1	“ motion . . . . .	49	9
Stop-motion . . . . .	49	11	“ “ . . . . .	49	20
“ “ . . . . .	49	26	Triangular wire . . . . .	36	2
“ “ Roving . . . . .	37	19	Truing wooden cylinders . . . . .	36	37
“ “ “ . . . . .	37	63	Tumbler, The . . . . .	34	13
Stopping feed, Device for . . . . .	30	11	Twaddle and Baumé hydrometers . . . . .	28	39
Strength and elasticity of wool . . . . .	27	9	Twist . . . . .	34	3
“ of scouring liquor . . . . .	28	18	“ slide . . . . .	37	66
Strippers . . . . .	34	16	“ “ Locking of . . . . .	37	77
“ and workers, Clothing for . . . . .	36	4	Twisting-in . . . . .	50	48
“ “ “ Setting . . . . .	36	17	Twitty . . . . .	30	2
Stripping . . . . .	34	5	Two-cylinder dresser . . . . .	50	8
“ apron . . . . .	35	8	Tying-in . . . . .	50	34
“ cards . . . . .	36	20	“ “ a fancy pattern . . . . .	50	40
Substitutes, Wool . . . . .	27	15	“ “ reed . . . . .	50	2
Suint . . . . .	28	11	Types of burr pickers . . . . .	30	3
Sulphuric-acid process . . . . .	31	2	“ “ dusters . . . . .	28	2
Supply, World's wool . . . . .	27	22			
Surface, Carding . . . . .	36	48	<b>U</b>		
			Unlocking of detent catch . . . . .	37	70
<b>T</b>			Unmerchutable wool . . . . .	27	33
Table of British and American wire gauges . . . . .	36	2	Unwashed wool . . . . .	27	33
“ “ capacities of sectional dryers . . . . .	29	12	<b>V</b>		
“ “ comparison of hydrom- eters . . . . .	28	39	Vegetable and animal fibers . . . . .	27	1
“ “ filleting . . . . .	36	10	Vicugna . . . . .	27	3
“ “ finishers . . . . .	36	50	Virgin oil . . . . .	33	2
“ “ first breaker . . . . .	36	49	<b>W</b>		
“ “ second breaker . . . . .	36	50	Warp compressor . . . . .	50	30
“ “ sheets . . . . .	36	9	“ Drawing in a . . . . .	50	45
“ “ speed of grinders . . . . .	36	28	“ pattern . . . . .	50	37
“ “ wool varieties and their properties . . . . .	27	21	“ preparation, Processes em- ployed in . . . . .	49	3
“ or platform wool dryer . . . . .	29	3	“ preparation, Woolen and worsted . . . . .	49	1
Tags . . . . .	27	33	“ preparation, Woolen and worsted . . . . .	50	1
Teg, hog, or hogget fleece . . . . .	27	31	“ reel, Sectional . . . . .	50	19
Temperature of scouring liquor . . . . .	28	18	“ reels . . . . .	50	19
Temporary hardness of water . . . . .	28	19	Warps, Compressing . . . . .	50	29
Tender staple . . . . .	27	11	“ Fancy . . . . .	50	37
Tension roll . . . . .	49	21	“ Formation of . . . . .	50	33
“ rolls . . . . .	49	7	“ Plain . . . . .	50	33
Terms used in connection with wools . . . . .	27	30	Washer, Hydraulic . . . . .	28	30
Territory wools . . . . .	27	20	“ Rake wool . . . . .	28	23
Tests for oil . . . . .	33	6	Washers, Combinations of . . . . .	28	30
Texas wool . . . . .	27	22	Washing, Wool . . . . .	28	10
Textile fibers, Classification of . . . . .	27	1	Waste . . . . .	37	84
Thermometers . . . . .	28	36	“ end conveyer . . . . .	34	27
Time of stripping . . . . .	36	20	“ “ rings . . . . .	34	27
Tooth, Knee of the . . . . .	36	1	Water, Hard . . . . .	28	18

INDEX

xvii

	<i>Sec. Page</i>		<i>Sec. Page</i>
Weigher and feeder, Bramwell automatic . . . . .	35 1	Wool oiling . . . . .	33 1
Weighing and dumping mechanism . . . . .	35 3	“ Pitchy . . . . .	28 11
“ Driving and dumping, machines . . . . .	35 10	“ Properties of . . . . .	27 5
Weight of cards . . . . .	34 30	“ Pulled or skin . . . . .	27 32
“ fleeces . . . . .	27 20	“ Qualities of . . . . .	27 26
“ roving . . . . .	36 56	“ Quality of . . . . .	27 32
Weston hydro-extractor . . . . .	29 17	“ Scoured . . . . .	27 33
Wether fleeces . . . . .	27 33	“ scouring . . . . .	28 1
Width of cards . . . . .	34 29	“ . . . . .	28 10
Willow . . . . .	28 9	“ “ process . . . . .	28 22
Winding clutch, Engagement of . . . . .	37 75	“ “ “ Solvent . . . . .	28 34
“ frame . . . . .	34 39	“ “ Rules for . . . . .	28 21
“ “ Fillet . . . . .	36 41	“ Softness and fineness of . . . . .	27 8
Wire . . . . .	36 1	“ sorter . . . . .	27 23
Wooden cylinders . . . . .	34 14	“ sorters' disease . . . . .	27 29
“ “ Truing . . . . .	36 37	“ sorting . . . . .	27 23
Wool . . . . .	27 1	“ Soundness of . . . . .	27 11
“ and cotton, Mixing . . . . .	32 8	“ Strength and elasticity of . . . . .	27 9
“ “ noils, Mixing . . . . .	32 8	“ substitutes . . . . .	27 15
“ “ shoddy, Mixing . . . . .	32 6	“ supply, World's . . . . .	27 22
“ “ silk, Mixing . . . . .	32 11	“ Texas . . . . .	27 22
“ Braid . . . . .	27 30	“ Unmerchanted . . . . .	27 33
“ cleaning process, Mechanical . . . . .	31 1	“ Unwashed . . . . .	27 33
“ Clothing . . . . .	27 30	“ varieties and their properties . . . . .	27 21
“ Color of . . . . .	27 12	“ washer, Rake . . . . .	28 23
“ Combing . . . . .	27 30	“ washing . . . . .	28 10
“ consumption of American mills . . . . .	27 20	Woolen and worsted carding . . . . .	35 34
“ Crimp or curliness of . . . . .	27 10	“ “ “ warp preparation . . . . .	49 1
“ Delaine . . . . .	27 31	“ “ “ warp preparation . . . . .	50 1
“ dryer, Multiple-apron . . . . .	29 5	“ carding . . . . .	34 1
“ “ Operation of sectional . . . . .	29 11	“ “ . . . . .	35 1
“ “ Table or platform . . . . .	29 3	“ “ . . . . .	36 1
“ dryers, Sectional . . . . .	29 8	“ cards, Operation of . . . . .	35 26
“ drying . . . . .	29 1	“ mules, Size of . . . . .	37 87
“ “ process, Cold-air . . . . .	29 2	“ spinning . . . . .	37 1
“ “ “ Hot-air . . . . .	29 5	Worsted carding . . . . .	35 34
“ dusting . . . . .	28 1	Wools, Clothing . . . . .	27 13
“ Effect of soda on . . . . .	28 21	“ Combing . . . . .	27 13
“ fat . . . . .	28 11	“ Delaine . . . . .	27 13
“ fiber . . . . .	27 4	“ Domestic . . . . .	27 20
“ Grease . . . . .	27 31	“ Fine combing . . . . .	27 13
“ Hygroscopicity of . . . . .	27 14	“ Imported . . . . .	27 22
“ Importance of properly drying . . . . .	29 1	“ Pulled . . . . .	27 7
“ Impurities in . . . . .	28 11	“ Terms used in connection with . . . . .	27 30
“ Lamb's . . . . .	27 8	“ Territory . . . . .	27 20
“ “ . . . . .	27 31	Workers and strippers, Clothing for . . . . .	36 4
“ Lubrication of . . . . .	33 1	“ “ “ Setting . . . . .	36 17
“ Luster of . . . . .	27 12	“ The . . . . .	34 15
“ Method of sorting . . . . .	27 25	World's wool supply . . . . .	27 22
“ Methods of drying . . . . .	29 2	Worsted and woolen carding . . . . .	35 34
“ mixing . . . . .	32 1	“ “ “ warp preparation . . . . .	49 1

INDEX

	<i>Sec.</i>	<i>Page</i>		<i>Sec.</i>	<i>Page</i>
Worsted and woolen warp prepa- ration . . . . .	50	1	Yarn, Spooling the . . . . .	50	33
"    creel . . . . .	49	15	"    "    "    " . . . . .	50	37
<b>Y</b>					
Yarn, Converting roving into . . . .	37	6	Yearlings . . . . .	27	33
"    Drying . . . . .	50	4	Yolk . . . . .	27	7
			"    "    "    "    "    "    "    "	27	33
			"    ash . . . . .	28	12
			"    proper . . . . .	28	11

ICSArchive.org






ACTIVE  
INTERNATIONAL  
COPYRIGHT



This file, is either made available:  
1) with permission of the copyright holder of record (left watermark), or  
2) declared in the Public Domain by the copyright holder of record (right watermark)...



ACTIVE  
INTERNATIONAL  
COPYRIGHT



This file, is either made available:  
1) with permission of the copyright holder of record (left watermark), or  
2) declared in the Public Domain by the copyright holder of record (right watermark)...